GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – PR&RD Department – Allegation on issue of Quality certificates without rejection or recovery for CC road works which are very much substandard in Chandrlapadu Mandal of Krishna District – Disciplinary proceedings against Sri P.Tulaseswara Rao, formerly Deputy Executive Engineer(PR) Vigilance and Quality Control Sub-division, Vijayawada (now retired) under Rule 20 of APCS (CC&A) Rules, 1991 r/w Rule-9 of APRPR 1980 – Articles of Charge – Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.Rt.No.357 **Dated: 07.05.2024.**

Read the following:

1. G.O.Rt.No.353, PR&RD (Vig.I) Department, Dated: 07-5-2024.
2. G.O.Ms.No.40, PR&RD (Vig.I) Department, Dated:07 -5-2024.

ORDER:-

In pursuance of the sanction accorded in the reference 2nd read above under sub-clause (i) of clause (b) of sub-rule (2) of Rule 9 of the Revised Pension Rules, 1980 for instituting departmental proceedings against Sri P.Tulaseswara Rao, formerly Deputy Executive Engineer(PR) Vigilance and Quality Control Sub-division, Vijayawada (now retired), it is proposed to hold an enquiry in accordance with the procedure laid down in Rule 20 of the A.P. Civil Services [Classification, Control and Appeal], 1991.

2. The substance of the imputations of misconduct or mis-behaviour in respect of which the inquiry is proposed to be held is set out in the enclosed statement of article of charge (Annexure-I). A statement of the imputations of misconduct or misbehavior in support of the article of charge is enclosed [Annexure-II]. A list of documents by which, and a list of witnesses by whom, the article of charge are proposed to be sustained are also enclosed [Annexure III & IV]. Copies of documents are furnished herewith.

3. Sri P.Tulaseswara Rao, formerly Deputy Executive Engineer(PR) Vigilance and Quality Control Sub-division, Vijayawada (now retired) is directed to submit written statement of defence within (10) days of the receipt of this order.

4. Sri P.Tulaseswara Rao, formerly Deputy Executive Engineer(PR) Vigilance and Quality Control Sub-division, Vijayawada (now retired) is informed that an enquiry will be held only in respect of those articles of charge, which are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri P.Tulaseswara Rao, formerly Deputy Executive Engineer(PR) Vigilance and Quality Control Sub-division, Vijayawada (now retired) is further informed that if he does not submit his written statement of defence on or before the date specified in Para-3 above, or does not appear in person before the inquiring authority or otherwise fails or refuses to comply with the provisions of

(P.T.O

Rule 20 of the A.P.C.S. [CC&A] Rules, 1991, or the orders/directions issued in pursuance of the said rules, the inquiring authority may hold the inquiry against him exparte.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

6. The receipt of this G.O. may be acknowledged.

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri P.Tulaseswara Rao, formerly Deputy Executive Engineer(PR) Vigilance and Quality Control Sub-division, Vijayawada (now retired) **through** the Engineer-in-Chief, Panchayat Raj, AP, Vijayawada.
The Engineer-in-Chief, Panchayat Raj, AP, Vijayawada (with a request to serve the same on the C.O. and furnish the acknowledgment copy)
SF/SC.

//FORWARDED::BY::ORDER//

SECTION OFFICER

ANNEXURE – I

STATEMENT SHOWING THE ARTICLE OF CHARGE FRAMED AGAINST SRI P.TULASESWARA RAO, FORMERLY DEPUTY EXECUTIVE ENGINEER(PR) VIGILANCE AND QUALITY CONTROL SUB-DIVISION, VIJAYAWADA (NOW RETIRED).

Charge:

That Sri P. Tulaseswara Rao, while working as Deputy Executive Engineer (PR), V&QC Sub-Division, Vijayawada (now retired) has inspected all the (101) CC road works in Chandarlapadu Mandal, Krishna District earlier to Special Team verification but proposed recovery for (7) works only with a value of Rs.0.60 lakhs only and NIL recovery for the remaining (94) works. Special Verification Team inspected and rejected (94) works and proposed recovery of Rs.531.32 lakhs. He caused loss to the Government. Thus, it is evident that there is very poor quality checking done by him and he failed in discharging his legitimate duty and issued QC Certificates without rejection or recovery for the works which are very much substandard. He should have taken proper care during the Inspection, but he failed to discharge his legitimate duties and caused loss of Rs.531.32 lakhs to the Government Exchequer.

Thus, Sri P. Tulaseswara Rao, while working as Deputy Executive Engineer (PR), V&QC Sub-Division, Vijayawada (now retired) showed his gross negligence in attending his legitimate duties and acted in contravention of Rule 3 of APCS(Conduct) Rules 1964.

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

//FORWARDED::BY::ORDER//

SECTION OFFICER

ANNEXURE-II

STATEMENT OF IMPUTATIONS OF MISCONDUCT AND MISBEHAVIOUR IN SUPPORT OF ARTICLE OF CHARGE FRAMED AGAINST SRI P.TULASESWARA RAO, FORMERLY DEPUTY EXECUTIVE ENGINEER(PR) VIGILANCE AND QUALITY CONTROL SUBDIVISION, VIJAYAWADA (NOW RETIRED).

BASIS :

The Government through Govt.Memo.No.1202/Vig.V2020-4, dt.5.5.2020 of PR&RD Dept. appointed the Commissioner, PR&RD as Nodal Officer for verification of all the material component works executed under MGNREGS in PR&RD during the period from l.10.2018 to 31.05.2019. In turn the Commissioner, PR&RD through Lr.No.PRR0S-17022/1/2019-EGS works SEC-CORD (987840) dt.13.5.2020 instructed all the District Collectors to constitute the verification teams in each District with Vigilance and Quality Control wings

(Continued on Page.4)

of P.R. Engineering Dept., RWS &S, Technical persons in SSAAT, Q.C. Wing of RD, R&B and Irrigation Departments. The verification team should be with a person in the cadre of Deputy Executive Engineer, VQC as the team head, 1-2 AEEs/ AEs of VQC, one- two resource persons from SSAAT along with 2 helpers in general. As per instructions of the Commissioner, PR&RD, the District Collectors have constituted the verification teams in each District. Accordingly, The District Collector, Krishna District has formed the verification team No. 3 headed by Sri G.Venkata Ratnam, Dy.Executive Engineer, PR, V&QC, Machilipatnam and the Team 3 has inspected 101 CC road works in Chandarlapadu Mandal. All these 101 works were previously inspected by the PRED VQC wing. Details of the Executive Engineer's report on 101 works inspections done by both the teams are as below.

(Rs. in lakhs)

No of works	By PREDVQC Wing						By verification Team						Loss to Govt	V&QC Officers responsible for loss
	Rejected No	Rejected Value	Recovery No	Recovery Value	No. with NI recovery	Total	Rejected No	Rejected Value	Recovery No	Recovery Value	No.with NIL Rcovery	Total		
96	0	0	7	0.60	89	0.60	68	517.25	24	5.86	4	523.12	522.52	1.Tulaseswara rao (retired) Dy. EE, VQC sub division Vijayawada. 2.CH.V. Rambabu(retired)AE,VQC Sub Division, Vijayawada
5	0	0	0	0	5	0	1	7.24	4	1.56	0	8.80	8.80	1.Tulaseswararao(retd)Dy. EE, VQC Sub-Division Vijayawada. 2)K. Srinivasa Rao, AEE, VQC Sub. Division, Vijayawad

													Vijayawada
101	0	0	7	0.60	94	0.60	69	524.49	28	7.42	7.24	531.92	531.32	

The Special Verification team inspected (101) works duly rejecting 69 works with value of Rs.524.49 lakhs, proposed recovery for 28 works with a value of Rs.7.42 lakhs and NIL recovery proposed for 4 no. of works. Total amount proposed for recovery comes out to Rs.531.92 lakhs (Rs.524.49lakhs+Rs.7.42 lakhs).

Sri P. Tulaseswarara Rao (Retired), Dy. E.E., VQC Sub-Division, Vijayawada has inspected all the 101 works earlier to Special Team but proposed recovery for 7 works only with a value of Rs.0.60 lakhs only and NIL recovery for the remaining 94 works causing a loss to the Government for Rs.531.32 lakhs. With this it is evident that there is very poor checking and Sri P. Tulaseswarara Rao (Retired), Dy. EE, VQC Sub-Division, Vijayawada failed in discharging his legitimate duty and issued QC Certificates without rejection or recovery for works which are very much substandard.

Sri Ch.V.Rambabu (Retired), A.E., VQC Sub-Division, Vijayawada has inspected 96 works out of 101 works earlier to Special Team but proposed recovery for 7 works with a value of Rs.0.60 lakhs only and NIL recovery for the remaining 89 works causing a loss to the Government for Rs.522.52 lakhs. With this it is evident that there is very poor checking and Sri Ch.V. Rambabu (Retired), A.E., VQC Sub-Division, Vijayawada failed in discharging his legitimate duty and issued QC Certificates without rejection or recovery for works which are very much substandard.

Sri K. Srinivasa Rao, AEE, VQC Sub-Division, Vijayawada has inspected 5 works out of 101 works earlier to Special Team but proposed NIL recovery for the 5 works causing a loss to the Government for Rs.8.80 lakhs. With this it is evident that there is very poor checking and Sri K. Srinivasa Rao, AEE, VQC Sub-Division, Vijayawada failed in discharging his legitimate duty and issued QC Certificates without rejection or recovery for works which are very much substandard.

Thus, the Government Servant Sri P. Tulaseswarara Rao , Dy. E.E., VQC Sub-Division, Vijayawada(now retired) while working as Dy.EE , VQC Sub-Division, Vijayawada showed his gross negligence in attending his legitimate duties. By the above mentioned acts, he failed to maintain absolute integrity, devotion to the duty and conduct unbecoming of a Government Servant and there by contravened Rule 3(1) & 3(2) of APCS(Conduct)Rules 1964.
Hence, the charge.

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

//FORWARDED::BY::ORDER//

SECTION OFFICER

(Continued on Page.6)

ANNEXURE-III

LIST OF DOCUMENTS BY WHICH THE ARTICLE OF CHARGE FRAMED AGAINST SRI P.TULASESWARA RAO, FORMERLY DEPUTY EXECUTIVE ENGINEER (PR), V&QC SUB-DIVISION, VIJAYAWADA (NOW RETIRED) ARE PROPOSED TO BE SUSTAINED.

***

1. Govt.Memo.No.1202/Vig.1/2020-4, dt:5.5.2020 of PR&RD Dept.
2. Letter No. PRR0S-17022/1/2019-EGS works SEC-CORD(987840) dt:13.5.2020 of Commissioner, PR&RD, Tadepalli, Guntur Dist.
3. Letter Rc. No. AEE / QC.2/ V&QC/Allegation/Chandarlapadu /Krishna Dist., dt.18.03.2021 of Chief Engineer (PR) V&QC, Vijayawada
4. Govt. Memo No.PRR0I-PRE0VIG/1/2024-VIG-I-1, dt.31.01.2024 of PR&RD (V.I)Dept.
5. Letter No.AE1/IRs/2023, dt.16.02.2024 of Executive Engineer (PR) V&QC Division, Vijayawada.

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

//FORWARDED::BY::ORDER//

SECTION OFFICER

ANNEXURE-IV

LIST OF WITNESSES BY WHOM THE ARTICLE OF CHARGE FRAMED AGAINST SRI P.TULASESWARA RAO, FORMERLY DEPUTY EXECUTIVE ENGINEER (PR), V&QC SUB-DIVISION, VIJAYAWADA (NOW RETIRED) ARE PROPOSED TO BE SUSTAINED

- NIL

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

//FORWARDED::BY::ORDER//

SECTION OFFICER